

SAFETY DATA SHEET

SECTION 1: IDENTIFICATION

COMPANY NAME:	AMERICAN INDUSTRIES, INC.	PRODUCT NAME:	DEEP DIVE
ADDRESS LINE 1:	4300 Kahn Drive, Box 1405	PRODUCT CODE:	2550
ADDRESS LINE 2:	Lumberton, NC 28359-1405 USA	PRODUCT USE:	Drain Opener
TELEPHONE NUMBERS:	800-753-5153 (or) 910-738-7224	SDS FILE ID:	2550.01
EMERGENCY PHONE:	CHEMTREC 1-800-424-9300	SDS DATE:	2026-01-01

SECTION 2: HAZARDS IDENTIFICATION

GHS Classification:

Skin Corrosion Category 1B H314
Label elements



Signal word Danger
Hazard statements: Causes severe skin burns and eye damage.

Precautionary statements:

Do not breathe mist, spray. Wash thoroughly after handling. Wear eye protection, protective gloves, protective clothing. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor, a POISON CENTER. Specific treatment (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container to comply with local/regional/national/international regulations.

Other Hazards No additional information available.
Unknown acute toxicity Not applicable.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical name</u>	<u>CAS number</u>	<u>%</u>	<u>GHS US Classification</u>
Proprietary Caustic	Withheld	10-30	Skin Corr. 1B, H314

All hazardous chemicals, as determined by 29 CFR 1910.1200 have been listed. A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: FIRST AID MEASURES

General If you feel unwell, seek medical advice (show the label where possible).

Inhalation Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell.

Skin contact Take off immediately all contaminated clothing and wash it before reuse. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.

Eye contact Rinse immediately with plenty of water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Ingestion Rinse mouth. Do NOT induce vomiting. Get medical advice/attention if you feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms/effects	Causes sever skin burns and eye damage.
Symptoms/effects after inhalation	May cause respiratory irritation.
Symptoms/effects after skin contact	Caustic burns/corrosion of the skin.

Symptoms/effects after eye contact	Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.
Symptoms/effects after ingestion	Burns to the gastric/intestinal mucosa.
Other medical advice or treatment	Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

Suitable extinguishing media	All extinguishing media allowed.
Reactivity	Upon combustion: CO and CO2 are formed.
Firefighting instructions	Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water.
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: ACCIDENTAL RELEASE MEASURES

General measures	Isolate from fire, if possible, without unnecessary risk.
For non-emergency personnel	
Protective equipment	Protective goggles. Gloves. Protective clothing.
Emergency procedures	Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.
For emergency responders	
Protective equipment	Equip cleanup crew with proper protection.
Emergency procedures	Stop leak if safe to do so. Stop release. Ventilate area.
Environmental precautions	Avoid release to the environment. Prevent entry to sewers and public waters.
Methods and materials for containment and cleaning up	
For containment	Contain released product, collect/pump into suitable containers.
Methods for cleaning up	This material and its container must be disposed of in a safe way, and as per local legislation.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling	Comply with the legal requirements. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing.
Hygiene measures	Wash thoroughly after handling. Wash contaminated clothing before reuse.
Conditions for safe storage, including incompatibilities	
Technical measures	Comply with applicable regulations.
Storage conditions	Keep container closed when not in use.
Incompatible products	Strong acids.
Storage area	Meet the legal requirements. Store in a cool area. Store in a well-ventilated place.
Special rules on packaging	Meet the legal requirements.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters	Not applicable.	
<u>Components</u>	<u>CAS number</u>	
Proprietary Caustic	Withheld	Not applicable
Exposure controls		
Personal protective equipment	Use appropriate personal protective equipment when risk assessment indicates this is necessary. Safety glasses. Gloves. Protective clothing.	



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Milky white liquid
Odor	Mild odor

Odor threshold	No data available
Melting point	No data available
Freezing point	No data available
Boiling point	No data available
Flash point	No data available
Relative evaporation rate (butylacetate=1)	No data available
Flammability	No data available
Explosive limits	No data available
Explosive properties	No data available
Oxidizing properties	No data available
Vapor pressure	No data available
Relative density	No data available
Relative vapor density at 20°C	No data available
Density	1.12 g/ml
Solubility	Soluble in water
Partition coefficient n- octanol/water (Log Pow)	No data available
Partition coefficient n- octanol/water (Log Kow)	No data available
pH	12.5 – 14
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Viscosity, kinematic	No data available
Viscosity, dynamic	No data available
VOC content	0%

SECTION 10: STABILITY AND REACTIVITY

Reactivity	Upon combustion: CO and CO2 are formed.
Chemical stability	No additional information available.
Conditions to avoid	No additional information available.
Possibility of hazardous reactions	Upon combustion: Co and CO2 are formed.
Incompatible materials	Strong acids
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

Acute toxicity	Not classified
Skin corrosion/irritation	Causes severe skin burns. pH: 12.5 – 14
Serious eye damage/irritation	Not classified pH: 12.5 – 14
Respiratory or skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified
Aspiration hazard	Not classified

Symptoms/effects after inhalation	May cause respiratory irritation.
Symptoms/effects after skin contact	Caustic burns/corrosion of the skin.
Symptoms/effects after eye contact	Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.
Symptoms/effects after ingestion	Burns to the gastric/intestinal mucosa.

SECTION 12: ECOLOGICAL INFORMATION

Toxicity	No additional information available.
Persistence and degradability	No additional information available.
Bioaccumulative potential	No additional information available.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods	Dispose in a safe manner in accordance with local/national regulations.
-------------------------	---

SECTION 14: TRANSPORT INFORMATION

DOT

UN number	UN 1760
UN proper shipping name	Corrosive liquids, n.o.s.
Transport document description	UN 1760 Corrosive liquids, n.o.s. (Calcium Hydroxide), 8, II
Transport hazard class(es)	8 – Class 8 – Corrosive material 49 CFR 173.136
Hazard labels	8 - Corrosive



Packing group	II – Medium Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	202
DOT Packaging Bulk (49 CFR 173.xxx)	242
DOT Symbols	G – Identifies PSN requiring a technical name
DOT Special Provision (49 CFR 172.102)	B2,IB2,T11,TP2,TP27
DOT Packaging Exceptions (49 CFR 173.xxx)	154
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	1 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	30 L
DOT Vessel Stowage Location	B
DOT Vessel Stowage Other	40 – Stow “clear of living quarters”

Additional Information

Emergency Response 154

Guide (ERG) Number

Other information When transported by ground, this product may be eligible to be shipped as a Limited Quantity utilizing the exception found at 49 CFR 173.154. If any alteration of packaging, product, or mode of transportation is further intended, different shipping names and labeling may be required.

ADR No additional information available.

Transport by sea No additional information available.

Air transport No additional information available.

SECTION 15: REGULATORY INFORMATION

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Contains chemical(s) subject to TSCA 12b export notification if product is shipped outside of the US.


Isononyl Alcohol Ethoxylate 2242406-13-7

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

California Proposition 65: This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm.

SECTION 16: OTHER INFORMATION

Training advice	Normal use of this product shall imply use in accordance with the instructions on the packaging.
NFPA health hazard	2 – Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard	0 – Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.
NFPA reactivity	0 – Material that in themselves are normally stable, even under fire conditions



Important Note: *To be the best of our knowledge, the information contained herein is accurate. However there is no assumption of liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Since the conditions of handling, storage and disposal of this product are beyond the control of the manufacturer/supplier, the manufacturer/supplier will not be responsible for loss, injury, or expense arising out of the products improper use. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.*

End of SDS