

# SAFETY DATA SHEET

## SECTION 1: IDENTIFICATION

|                           |                                |                      |                   |
|---------------------------|--------------------------------|----------------------|-------------------|
| <b>COMPANY NAME:</b>      | AMERICAN INDUSTRIES, INC.      | <b>PRODUCT NAME:</b> | ZESTY (aerosol)   |
| <b>ADDRESS LINE 1:</b>    | 4300 Kahn Drive, Box 1405      | <b>PRODUCT CODE:</b> | 2549              |
| <b>ADDRESS LINE 2:</b>    | Lumberton, NC 28359-1405 USA   | <b>PRODUCT USE:</b>  | Solvent Degreaser |
| <b>TELEPHONE NUMBERS:</b> | 800-753-5153 (or) 910-738-7224 | <b>SDS FILE ID:</b>  | 2549.01           |
| <b>EMERGENCY PHONE:</b>   | CHEMTREC 1-800-424-9300        | <b>SDS DATE:</b>     | 2026-01-01        |

## SECTION 2: HAZARDS IDENTIFICATION

GHS Classification:

|                     |            |      |
|---------------------|------------|------|
| Flammable Aerosol   | Category 1 | H222 |
| Flammable Liquid    | Category 4 | H227 |
| Eye Damage          | Category 1 | H318 |
| Skin Sensitivity    | Category 1 | H317 |
| Aspiration Toxicity | Category 1 | H304 |

Label elements



Signal word

Danger

Hazard statement:

Extremely flammable aerosol. Combustible liquid. May be fatal if swallowed and enters airways. May cause an allergic skin reaction. Causes serious eye damage.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container. Do not pierce or burn, even after use. Avoid breathing mist, spray. Wear eye protection, protective clothing, protective gloves. Contaminated work clothing must not be allowed out of the workplace. Take off immediately all contaminated clothing and wash it before reuse. IF SWALLOWED: Immediately call a POISON CENTER, a doctor. Do NOT induce vomiting. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor, a POISON CENTER. In case of fire: Use carbon dioxide (CO<sub>2</sub>), dry extinguishing powder, foam to extinguish. Store in a well-ventilated place. Keep cool. Protect from sunlight. Do not expose to temperatures exceeding 122°F (50°C). Store locked up. Dispose of contents and container to comply with local, regional, national, and international regulations.

Hazard(s) not otherwise classified (HNOC)

No additional information available.

Unknown acute toxicity

Not applicable.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

| <u>Chemical name</u>         | <u>CAS number</u> | <u>%</u> | <u>GHS-US classification</u>  |
|------------------------------|-------------------|----------|---|
| Hydrotreated Light Alkanes   | 64742-47-8        | 45-70    | Flam. Liq. 4, H227<br>Asp. Tox. 1, H304   |
| Undeceth-5                   | 34398-01-1        | 5-10     | Acute Tox. 4 (Oral), H302<br>Eye Dam. 1, H318   |
| Dimethyl Glutarate (Solvent) | 1119-40-0         | 3-7      | Acute Tox. 4 (Oral), H302   |
| d-Limonene                   | 5989-27-5         | 1-5      | Flam. Liq. 3, H226<br>Skin Irrit. 2, H315<br>Skin Sens. 1, H 317<br>Asp. Tox. 1, H319 |

|                              |          |         |   |
|------------------------------|----------|---------|---|
| Dimethyl Succinate (Solvent) | 106-65-0 | 1-5     | Eye Irrit. 2A, H319                       |
| Undecanol                    | 112-42-5 | 0.5-1.5 | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319 |

All hazardous chemicals, as determined by 29 CFR 1910.1200 have been listed. A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

#### SECTION 4: FIRST AID MEASURES

|  |   |
|--|---|
| General  | If you feel unwell, seek medical advice (show the label where possible.)  |
| Inhalation   | If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.                             |
| Skin contact   | Take off immediately all contaminated clothing and wash it before reuse. Wash skin with plenty of water. Soap may be used. If skin irritation or rash occurs: Get medical advice/attention. |
| Eye contact  | Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.              |
| Ingestion  | Rinse mouth with water. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.  |
| Most important symptoms/effects, acute and delayed                     |   |
| Symptoms/effects   | If you feel unwell, seek medical advice.  |
| Symptoms/effects after inhalation                                      | EXPOSURE TO HIGH CONCENTRATIONS: May cause respiratory irritation. May cause drowsiness or dizziness. Headache.   |
| Symptoms/effects after skin contact                                    | May cause allergic skin reaction. Repeated exposure may cause skin dryness or cracking.   |
| Symptoms/effects after eye contact                                     | Causes serious eye damage.  |
| Symptoms/effects after ingestion                                       | May be fatal if swallowed and enters airways. Risk of aspiration pneumonia. Nausea. Gastrointestinal complaints. Vomiting.  |
| Indication of immediate medical attention and special treatment needed | Treat symptomatically.  |

#### SECTION 5: FIRE-FIGHTING MEASURES

|  |   |
|--|---|
| Suitable extinguishing media                           | Foam. Carbon dioxide. Dry chemical powder   |
| Unsuitable extinguishing media                         | None known.   |
| Specific hazards arising from the substance or mixture | Extremely flammable aerosol. Combustible liquid.<br>Upon combustion: CO and CO2 are formed.   |
| Fire-fighting instructions/protection                  | Exercise caution when fighting any chemical fire. In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water.<br>Do not enter fire area without proper protective equipment, including respiratory protection. |

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

|  |  |
|--|--|
| General measures   | No flames, no sparks. Eliminate all sources of ignition.   |
| Non-emergency personnel: protective equipment/emergency procedures | Protective goggles. Gloves. Protective clothing.<br>Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.             |
| Emergency responders: protective equipment/emergency procedures    | Equip cleanup crew with proper protection.<br>Stop leak if safe to do so. Stop release. Ventilate area.  |
| Methods and materials for containment and cleaning up              | Contain released product, collect/pump into suitable containers.<br>This material and its container must be disposed of in a safe way, and as per local legislation. |
| Environmental precautions  | Avoid release to the environment. Prevent entry to sewers and public waters.   |

#### SECTION 7: HANDLING AND STORAGE

|                               |   |
|-------------------------------|---|
| Precautions for safe handling | Comply with the legal requirements. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. |
|-------------------------------|---|

|  |   |
|--|---|
| Hygiene measures   | Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. |
| Conditions for safe storage, including any incompatibilities |   |
| Technical measures   | Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.                                 |
| Storage conditions   | Store in a well-ventilated place. Keep cool. Store locked up.   |
| Incompatible products  | Oxidizing agent.  |
| Incompatible materials                                       | Sources of ignition. Heat sources.  |
| Storage area   | Store away from heat. Store in a cool area. Store in a dry area. Store in a well-ventilated place.  |
| Special rules on packaging                                   | Keep only in original container. Meet the legal requirements.   |

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

| <u>Components</u>          | <u>CAS number</u> | <u>ACGIH</u>   | <u>OSHA</u>    |
|----------------------------|-------------------|----------------|----------------|
| Dimethyl Glutarate         | 1119-40-0         | Not applicable | Not applicable |
| Dimethyl Succinate         | 106-65-0          | Not applicable | Not applicable |
| d-Limonene                 | 5989-27-5         | Not applicable | Not applicable |
| Undeceth-5                 | 34398-01-1        | Not applicable | Not applicable |
| Undecanol                  | 112-42-5          | Not applicable | Not applicable |
| Hydrotreated Light Alkanes | 64742-47-8        | Not applicable | Not applicable |

Personal protective equipment: Use appropriate personal protective equipment when risk assessment indicates this is necessary. Gloves. Safety glasses. Protective goggles. Protective clothing.



### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

|   |                          |                          |
|---|--------------------------|--------------------------|
| Appearance                                      | Clear, orange, liquid    |                          |
| Physical state                                  | Liquid                   |                          |
| Odor  | Citrus fruits            |                          |
| Odor threshold                                  | No data available        |                          |
| Boiling point                                   | No data available        |                          |
| Melting Point/Freezing Point                    | No data available        |                          |
| Flammability                                    | No data available        |                          |
| Flash point                                     | 182°F Closed cup         |                          |
| Auto-ignition temperature                       | No data available        |                          |
| Relative evaporation rate (butylacetat=1)       | No data available        |                          |
| Upper/lower flammability or explosive limits    | Lower: No data available | Upper: No data available |
| Explosive properties                            | No data available        |                          |
| Oxidizing properties                            | No data available        |                          |
| Vapor Pressure                                  | No data available        |                          |
| Relative density                                | No data available        |                          |
| Relative vapor density at 20°C                  | No data available        |                          |
| pH  | No data available        |                          |
| Density   | 0.85 g/ml                |                          |
| Solubility                                      | Insoluble in water       |                          |
| Partition Coefficient:n-Octanol/water (Log Pow) | No data available        |                          |

|   |                   |
|---|-------------------|
| Partition Coefficient:n-Octanol/water (Log Kow) | No data available |
| Decomposition temperature                       | No data available |
| Viscosity                                       | No data available |
| Viscosity, kinematic                            | ≤ 20 cSt          |
| Viscosity, dynamic                              | No data available |
| VOC content                                     | < 3%              |

## SECTION 10: STABILITY AND REACTIVITY

|                                    |  |
|------------------------------------|--|
| Reactivity                         | Upon combustion: CO and CO <sub>2</sub> are formed.  |
| Chemical stability                 | No additional information available.   |
| Possibility of hazardous reactions | Upon combustion: CO and CO <sub>2</sub> are formed.  |
| Conditions to avoid                | No additional information available.   |
| Incompatible materials             | No additional information available.   |
| Hazardous decomposition products   | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

## SECTION 11: TOXICOLOGICAL INFORMATION

|                |                |
|----------------|----------------|
| Acute toxicity | Not classified |
|----------------|----------------|

### Components

### Test Results

#### Dimethyl Glutarate (1119-40-0)

|                       |  |
|-----------------------|--|
| LD50 – oral rat       | 1920 mg/kg Source: IUCLID  |
| LD50 – dermal rat     | 8500 mg/kg Source: IUCLID  |
| LC50 Inhalation – rat | > 11 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) |

#### Dimethyl Succinate (106-65-0)

|                      |  |
|----------------------|--|
| LD50 – oral rat      | 6892 mg/kg (Rat; Experimental value)   |
| LD50 – dermal rat    | > 2000 mg/kg bodyweight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity) |
| LD50 – dermal rabbit | > 5000 mg/kg (Rabbit)  |
| ATE CLP – oral       | 6892 mg/kg bodyweight  |

#### d-Limonene (5989-27-5)

|                      |  |
|----------------------|--|
| LD50 – oral rat      | > 2000 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s)) |
| LD50 – dermal rabbit | > 5000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal, 7 day(s))                             |

#### Undeceth-5 (34398-01-1)

|                      |                                    |
|----------------------|------------------------------------|
| LD50 – oral rat      | > 1400 mg/kg                       |
| LD50 – dermal rabbit | > 2000 mg/kg Source: Butch Company |

#### Undecanol (112-42-5)

|                       |  |
|-----------------------|--|
| LD50 – oral rat       | > 15800 mg/kg bodyweight (Rat, Male/female, Experimental value, Oral)  |
| LD50 – dermal rabbit  | 5010 – 7940 mg/kg bw/day (24 h, Rabbit, Male/female, Experimental value, Dermal, 14 day(s))  |
| LC50 Inhalation – rat | > 2.05 mg/l (EPA OPPTS 870.1300: Acute Inhalation Toxicity, 4 h, Rat, Male/female, Experimental value, Inhalation (vapors), 14 day(s)) |
| ATE CLP – oral        | 3000 mg/kg bodyweight  |
| ATE CLP – dermal      | 6475 mg/kg bodyweight  |

#### Hydrotreated Light Alkanes (64742-47-8)

|                       |  |
|-----------------------|--|
| LD50 – oral rat       | > 15000 mg/kg Source: IUCLID   |
| LD50 – dermal rabbit  | > 2000 mg/kg Source: IUCLID  |
| LC50 Inhalation – rat | > 5.28 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), 95% CL: 0,42 – |

|   |   |
|---|---|
| Skin corrosion/irritation               | Not classified (Based on available data, the classification criteria are not met)   |
| Serious eye damage/irritation           | Causes serious eye damage.  |
| Respiratory or skin sensitization       | May cause an allergic skin reaction.  |
| Germ cell mutagenicity                  | Not classified (Based on available data, the classification criteria are not met.)  |
| Carcinogenicity                         | Not classified (Based on available data, the classification criteria are not met.)  |
| d-Limonene (5989-27-5)                  |   |
| IARC group                              | 3 – Not classifiable, 3 – Not Classifiable  |
| Reproductive toxicity                   | Not classified (Based on available data, the classification criteria are not met.)  |
| STOT – single exposure                  | Not classified (Based on available data, the classification criteria are not met.)  |
| STOT – repeated exposure                | Not classified (Based on available data, the classification criteria are not met.)  |
| Hydrotreated Light Alkanes (64742-47-8) |   |
| NOAEL (oral, rat, 90 days)              | 750 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) |
| NOAEL (dermal, rat/rabbit, 90 days)     | ≥ 495 mg/kg bodyweight Animal: rat, Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)  |
| Aspiration hazard                       | May be fatal if swallowed and enters airways.   |
| Symptoms/effects after inhalation       | EXPOSURE TO HIGH CONCENTRATIONS: May cause respiratory irritation. May cause drowsiness or dizziness. Headache.                           |
| Symptoms/effects after skin contact     | May cause an allergic skin reaction. Repeated exposure may cause dryness or cracking.   |
| Symptoms/effects after eye contact      | Causes serious eye damage.  |
| Symptoms/effects after ingestion        | May be fatal if swallowed and enters airways. Risk of aspiration pneumonia. Nausea. Gastrointestinal complaints. Vomiting.                |

## SECTION 12: ECOLOGICAL INFORMATION

|                                |   |
|--------------------------------|---|
| Ecotoxicity                    | Dimethyl Glutarate (1119-40-0) LC50 – Fish [1] ( <i>Lepomis macrochirus</i> , EPA OTS 797.1400, 96 h, Static system, Fresh water, Experimental value, Nominal concentration) 30.9 ppm; EC50 – Crustacea [1] ( <i>Daphnia magna</i> , EPA OTS 797.1300, 48 h, Static system, Fresh water, Experimental value, Lethal) 112 – 150 ppm. Dimethyl Succinate (106-65-0) LC50 – Fish [2] ( <i>Brachydanio rerio</i> , OECD 203: Fish, Acute Toxicity Test 48 h, Semi-static system, Fresh water, Experimental value) 50 – 100 mg/l; EC50 – Crustacea [2] ( <i>Daphnia magna</i> , OECD 202: <i>Daphnia</i> sp. Acute Immobilization Test, 48 h, Static system, Fresh water, Experimental value) > 100 mg/l. Threshold limit – Algae [1] ( <i>Pseudokirchneriella subcapitata</i> , ErC50; OECD 201: Alga, Growth Inhibition Test, 72 h, Static system, Fresh water, Experimental value) > 100 mg/l. d-Limonene (5989-27-5) LC50 – Fish [1] ( <i>Pimephales promelas</i> , Equivalent or similar to OECD 203, 96 h, Flow-through system, Fresh water, Experimental value, Measured concentration) 720 µg/l; EC50 – Crustacea [1] ( <i>Daphnia magna</i> , OECD 203, <i>Daphnia</i> sp. Acute Immobilization Test, 48 h, Semi-static system, Fresh water, Experimental value, Measured concentration) 0.31 mg/l; LC50 – Fish [2] (Test organisms (species): <i>Pimephales promelas</i> ) 702 µg/l; EC50 – Crustacea [2] (Test organisms (species): <i>Daphnia magna</i> ) 0.51 mg/l; ErC50 algae ( <i>Pseudokirchneriella subcapitata</i> , OECD 201: Alga, Growth Inhibition Test, 72 h, Static system, Fresh water, Experimental value, Measure concentration) 0.32 mg/l. Undeceth-5 (34398-01-1) LC50 – Fish [1] 3.9 mg/l Source: ECOTOX; EC50 – Crustacea [1] < 10 mg/l; ErC50 algae < 10 mg/l. Undecanol (112-45-2) LC50 – Fish [1] ( <i>Pimephales promelas</i> , Equivalent or similar to OECD 203, 96 h, Flow-through system, Fresh water, Experimental value) 1.04 mg/l; EC50 – Crustacea [1] ( <i>Daphnia magna</i> , Equivalent or similar to OECD 202, 48 h, Static system, Fresh water, Experimental value, GLP) 0.765 mg/l. Hydrotreated Light Alkanes (64742-47-8) LC50 – Fish [1] 2.4 mg/l Source: ECOTOX. |
| Persistence and degradability  |   |
| Dimethyl Glutarate (1119-40-0) | Readily biodegradable in water.   |
| Dimethyl Succinate (106-65-0)  | Readily biodegradable in water. Inherently biodegradable. Highly mobile in soil.  |
| d-Limonene (5989-27-5)         | Readily biodegradable in water.   |
| ThOD                           | 3.29 g O2/g substance.  |

|   |  |
|---|--|
| Undecanol (112-42-5)                            | Biodegradable in the soil. Readily biodegradable in water.   |
| ThOD  | 3.07 g O <sub>2</sub> /g substance.  |
| Bioaccumulative potential                       |  |
| Dimethyl Glutarate (1119-40-0)                  | Low potential for bioaccumulation (Log Kow < 4).   |
| Partition coefficient n-octanol/water (Log Pow) | 0.49 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask method, 20°C) |
| Dimethyl Succinate (106-65-0)                   | Low potential for bioaccumulation (Log Kow < 4).   |
| BCF – Fish [1]                                  | 3.16 (BCF; BCFBAF v3.00; Pisces)   |
| Partition coefficient n-octanol/water (Log Pow) | 0.33 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 40°C)        |
| d-Limonene (5989-27-5)                          | Potential for bioaccumulation (4 ≤ Log Kow ≤ 5).   |
| BCF – Fish [1]                                  | 865 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight)  |
| Partition coefficient n-octanol/water (Log Pow) | 4.4 (Experimental value, Equivalent or similar to OECD 117, 37°C)                                      |
| Undeceth-5 (112.42-5)                           |  |
| Partition coefficient n-octanol/water (Log Pow) | 4 Source: EPISUITE   |
| Undecanol (112-42-5)                            | Potential for bioaccumulation (4 ≤ Log Kow ≤ 5).   |
| Partition coefficient n-octanol/water (Log Pow) | 4.8 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25°C)         |
| Hydrotreated Light Alkanes (64742-47-8)         |  |
| Partition coefficient n-octanol/water (Log Pow) | 3.3 – 6 Source IUCLID  |

### SECTION 13: DISPOSAL CONSIDERATIONS

Product/Packaging disposal recommendations      Dispose in a safe manner in accordance with local/national regulations.

### SECTION 14: TRANSPORT INFORMATION

DOT

|                            |  |
|----------------------------|--|
| UN number                  | UN 1950  |
| UN proper shipping name    | Aerosols                                       |
| Transport hazard class(es) | 2.1 – Class 2.1 – Flammable gas 49 CFR 173.115 |
| Hazard labels              | 2.1 – Flammable gas                            |



|   |   |
|---|---|
| DOT Special Provision (49 CFR 172.102)                            | N82   |
| DOT Packaging Exceptions (49 CFR 173.xxx)                         | 306   |
| DOT Quantity Limitations Passenger aircraft/trail (49 CFR 173.27) | 75 kg   |
| DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)      | 150 kg  |
| DOT Vessel Stowage Location                                       | A   |
| DOT Vessel Stowage Other  | 25 – Protected from sources of heat, 87 – Stow “separated from” Class 1 (explosives) except Division 14, 126 – Segregation same as for Class 9, miscellaneous hazardous materials |

#### Additional Information

|                                       |     |
|---------------------------------------|-----|
| Emergency Response Guide (ERG) Number | 126 |
| Other information                     |     |

When transported by ground, this product may be eligible to be shipped as a Limited Quantity utilizing the exception found at 49 CFR 173.306. If any alteration of packaging, product, or mode of transportation is further intended, different shipping names and labeling may be required.

ADR      No additional information available.

Transport by sea No additional information available.  
Air transport No additional information available.

#### SECTION 15: REGULATORY INFORMATION

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Undeceth-5 CAS-No. 34398-01-1

SARA Section 311/312 Hazard Classes Immediate (acute) health hazard

**!** WARNING: This product can expose you to chemicals including Ethylene oxide, which is known to the state of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).


#### SECTION 16: OTHER INFORMATION

Training advice Normal use of this product shall imply use in accordance with the instructions on the packaging.

NFPA health hazard 2 – Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

NFPA fire hazard 2 – Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.

NFPA reactivity 0 – Material that in themselves are normally stable, even under fire conditions



**Important Note:** *To be the best of our knowledge, the information contained herein is accurate. However there is no assumption of liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Since the conditions of handling, storage and disposal of this product are beyond the control of the manufacturer/supplier, the manufacturer/supplier will not be responsible for loss, injury, or expense arising out of the products improper use. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.*

\*\*\*End of SDS\*\*\*