SAFETY DATA SHEET



SECTION 1: IDENTIFICATION

COMPANY NAME: AMERICAN INDUSTRIES, INC. PRODUCT NAME: B-TEK (22 Oz)

ADDRESS LINE 1: 4300 Kahn Drive, Box 1405 PRODUCT CODE: 2402

ADDRESS LINE 2: Lumberton, NC 28359-1405 USA PRODUCT USE: Battery Cleaner and Neutralizer TELEPHONE NUMBERS: 800-753-5153 (or) 910-738-7224 SDS FILE ID: 2402.02

EMERGENCY PHONE: CHEMTREC 1-800-424-9300 SDS DATE: 2015-06-01
REPLACES MSDS VERSION DATED: 2012-12-03 and all prior revisions

SECTION 2: HAZARDS IDENTIFICATION

GHS Classification:

Skin irritation 2
Eye irritation 2A
Corrosive to metals 1

Label elements



Signal word WARNING

Hazard statements: Causes skin irritation.

Causes eye irritation.

May be corrosive to metals

Precautionary statements:

Keep only in original container.

Store in corrosive resistant container with inner liner.

Absorb spillage to prevent material damage. Wash hands thoroughly after handling. IF ON SKIN: Wash with soap and water.

Take off contaminated clothing and wash before reuse.

Wear protective gloves.

Wear eye protection such as goggles or safety glasses with side shields.

If in eyes: Rinse cautiously with water for 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists get medical advice/attention. Do not eat, drink or smoke when using this product.

If swallowed: Immediately call a poison center/physician, Rinse mouth.

Dispose of contents/container in accordance with local State, federal or international regulations.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical name</u>	CAS number	<u>%</u>
Sodium Carbonate	497-19-8	<5
Phosphoric acid	7664-38-2	<1
Surfactant Blend	Trade secret	<5
Potassium hydroxide	1310-58-3	10-30
2-Hydroxyethanoic acid	79-14-1	<1
Terpene hydrocarbons	8028-48-6	<1
Dipropylene glycol methyl ether	34590-94-8	<5

Note: The exact concentrations of the chemical(s) above are being withheld as a trade secret.

SECTION 4: FIRST AID MEASURES

Inhalation If inhaled, remove victim to fresh air and keep at rest. Call a [poison center or physician if you feel

unwell.

Skin contact Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin

irritation occurs get medical advice/attention.

If product gets in eyes flush with water for at least 15 minutes. If eye irritation persists seek medical Eye contact

advice/attention.

Do NOT induce vomiting unless instructed by medical personal. Never give anything by mouth to an Ingestion

unconscious person. Get medical attention.

Effects and symptoms:

May cause gastrointestinal irritation, nausea, vomiting, diarrhea and burns to the mouth, throat and Ingestion

esophagus.

May cause skin irritation or burns. Skin Contact May cause eye irritation or burns. Eve contact

Indication of immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

Water fog, carbon dioxide, dry chemical, foam. Extinguishing media

Unsuitable extinguishing

media

Not available.

Hazardous combustion

products

Carbon oxides, other unidentified organic compounds.

Special exposure hazards None known.

Special protective equipment

Firefighters should wear proper protective equipment (Bunker gear) and self-contained breathing

apparatus with full face operated in positive pressure mode.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures: All persons dealing with the clean-up should the appropriate chemically protective equipment. Keep people away from and upwind of spill/leak. Restrict access to area until completion of clean-up.

Methods and Materials for Containment and Cleanup: Do not allow material to contaminate ground water system. If necessary, dike well ahead of the spill to prevent run-off into drains, sewers, or any natural waterway or drinking supply. Ventilate the area. Scoop up material and place into suitable container(s). Dispose of according to local, state and federal regulations

SECTION 7: HANDLING AND STORAGE

Obtain special instructions before use. Do not handle until all safety precautions have been read and Handling

understand. Wear protective gloves and eye/face protection. Adequate ventilation should be supplied. Avoid contact with skin, eyes and clothing. Keep away from heat. Keep container tightly closed.

Store in cool, dry and well ventilated place. Containers should be clearly identified, clear of obstructions Storage

and accessible only to authorized personnel. Protect from sunlight. Have appropriate fire

extinguishers/sprinkler system in place. Spill clean-up equipment should be in or near storage area

Strong oxidizer, strong acids. Incompatible materials

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limits

Chemical Name ACGIH-TLV OSHA-PEL Sodium Carbonate 2mg/m³ 2 mg/m^3 1.0mg/m3 1.0mg/m³ Phosphoric acid Surfactant Blend Not available Not available

Potassium hydroxide 2mg/m³ 2mg/m³ 25mg/m³ 2-Hydroxyethanoic acid 25mg/m³ Terpene hydrocarbons 30ppm 300ppm Dipropylene glycol methyl ether 100ppm

100ppm

Exposure controls

Page 2 of 5 SDS File ID: 2402.02 AMERICAN INDUSTRIES, INC. Product Name: B-TEK (22 oz) SDS Issue/Revision Date: 06/02/2015

Ventilation Use in well ventilated area. Apply technical measures to comply with occupational

exposure limits if needed.

Respirators If airborne concentrations are above the permissible exposure limit use NIOSH approved

respirators

Skin Protection Wear protective gloves. Where extensive exposure to the product is possible, use resistant

apron/suit and boots.

Eye/face protection Goggles or safety glasses with side shields.

Other protective equipment Ensure that eyewash stations and a safety shower are close to the workstation(s).

General hygiene considerations Avoid contact with eyes, skin and clothing. Do not eat, drink or smoke when using this

product. Wash hands after handling. Remove and wash all contaminated clothing before

re-use. Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance Clear orange liquid
Odor Mild orange odor
Odor threshold Not available

pH 13.8

~-3°C (26.6°F) Melting point/freezing point **Boiling point** 100°C (212°F) >93.3°C (199.4°F) Flash point Evaporation rate (Butyl Acetate=1) Not available Flammability Not available Lower flammability limit Not available Upper flammability limit Not available Vapor pressure Not available Vapor density Not available

Relative density

Solubility in water

Partition Coefficient

Auto-ignition temperature

Decomposition Temperature

Viscosity

Not available

Not available

Volatiles (% by wt) ~1.0

Volatile organic compounds Terpene hydrocarbons, Dipropylene glycol methyl ether

Other physical/chemical comments No additional information

SECTION 10: STABILITY AND REACTIVITY

Chemical stability Stable under normal conditions

Conditions to avoid Heat. Contact with incompatible materials

Materials to avoid Strong oxidizers, strong acids.

Reactivity Not normally reactive.

Hazardous decomposition Carbon oxides.

Hazardous polymerization Will not occur

SECTION 11: TOXICOLOGICAL INFORMATION

Information on routes of exposure:

Inhalation: Yes Skin & Eyes: Yes Ingestion: Yes Skin Absorption: Yes

SDS File ID: 2402.02 Product Name: B-TEK (22 oz) SDS Issue/Revision Date: 06/02/2015 AMERICAN INDUSTRIES, INC. Page 3 of 5

Potential Health Effects

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Ingestion

May cause respiratory irritation. May cause headache, nausea, dizziness and other symptoms of Inhalation

central nervous system depression.

May cause burns or irritation. Symptoms may include redness, edema, drying, defatting and cracking Skin Contact

of the skin.

May cause severe irritation or damage. **Eve Contact**

None known. Potential chronic health effects

Not hazardous by OSHA/WHMIS criteria. Mutagenicity

Not considered a carcinogen according to NTP, IARC, or OSHA. Carcinogenicity

Not hazardous by OSHA/WHMIS criteria. Reproductive effects

No data available to indicate product may be a sensitizer. Sensitization to material

Not available Target organ effects

Medical conditions aggravated

by overexposure

Toxicological data

The calculated ATE value for this mixture is well above classification parameters.

Chemical Name	LD50-Oral	Dermal
Sodium Carbonate	4090mg/kg (rat)	Not Available
Phosphoric acid	Not Available	Not Available
Surfactant blend	Not Available	Not Available
Potassium hydroxide	365mg/kg (rat)	Irritant
2-Hydroxyethanoic acid	Not Available	Not Available
Terpene hydrocarbons	>5000mg/kg (rat)	Not Available
Dipropylene glycol methyl ether	>5000mg/kg (rat)	Not Available

Pre-existing skin and eye conditions.

SECTION 12: ECOLOGICAL INFORMATION

No data available on the product itself. **Ecotoxicity** This product itself has not been tested. Persistence and Degradability This product itself has not been tested. Bio-accumulative potential This product itself has not been tested. Mobility in soil

None known. Other adverse environmental effects

SECTION 13: DISPOSAL CONSIDERATIONS

Handling for disposal: Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8.

Methods of disposal: Dispose in accordance with all applicable federal, state, provincial and local regulation. Contact your federal, state, provincial and local authorities for specific rules.

SECTION 14: TRANSPORT INFORMATION

US 49 CFR/DOT **Ground Transportation** Not DOT regulated.

SECTION 15: REGULATORY INFORMATION

All listed ingredients appear on the Toxic Substances Control Act. **TSCA**

Not available. US CERCLA Reportable quantity (RQ)

SARA Title III Section 302 No extremely hazardous substances are present in this material.

SARA Title III Section 311 and 312 Reactive Hazard, Acute Health Hazard, Chronic Health Hazard. Under SARA Section 311

> and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds for the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all

other hazardous chemicals.

SARA TITLE III Section 313: No components are present in this material.

Page 4 of 5 SDS File ID: 2402.02 Product Name: B-TEK (22 oz) SDS Issue/Revision Date: 06/02/2015 AMERICAN INDUSTRIES, INC.

California Prop 65

This product does contain a chemical known to the State of California to cause, birth defects or other reproductive harm.

Canadian Environmental Protection ACT

(CEPA)

All ingredients listed appear on the Domestic Substances List (DSL).

Abbreviations legend;

ACGIH: American Conference of Governmental Industrial Hygienist

CAS: Chemical abstract Services

CERCLA: Comprehensive Environmental Response, Compensation, and Liability

Act of 1980

CFR: Code of Federal Regulations CSA: Canadian Standards Association DOT: Department of Transportation ECOTOX: U.S. EPA Ecotoxicology Database

EINECS: European Inventory of Existing Commercial chemical Substances

EPA: Environmental Protection agency HSDB: Hazardous Substances database

IARC: International Agency for Research on Cancer

IBC: Intermediate Bulk Container

IUCLID: International Uniform Chemical Information Database

LC: Lethal Concentration

LD: Lethal Dose

NIOSH: National Institute of Occupational Safety and Health

NTP: National Toxicology Program

OECD: Organization for Economic Cooperation and Development

PEL: Permissible exposure limit

RCRA: Resource Conservation and Recovery Act

RTECS: Registry of Toxic Effects of Chemical Substances SARA: Superfund Amendments and Reauthorization Act

SDS: Safety Data Sheet

STEL: Short Term Exposure Limit

TDG: Canadian Transportation of Dangerous Goods Act & Regulations

TLV: Threshold Limit Values
TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Identification System

SECTION 16: OTHER INFORMATION

Hazardous Materials Identification System (HMIS)



Important Note: To be the best of our knowledge, the information contained herein is accurate. However there is no assumption of liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Since the conditions of handling, storage and disposal of this product are beyond the control of the manufacturer/supplier, the manufacturer/supplier will not be responsible for loss, injury, or expense arising out of the products improper use. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.

End of SDS