SAFETY DATA SHEET



SECTION 1: IDENTIFICATION

COMPANY NAME: AMERICAN INDUSTRIES, INC. PRODUCT NAME: BY THE SEA
ADDRESS LINE 1: 4300 Kahn Drive, Box 1405 PRODUCT CODE: 2425

ADDRESS LINE 2: Lumberton, NC 28359-1405 USA PRODUCT USE: Ultra Dry Air Deodorizer

 TELEPHONE NUMBERS:
 800-753-5153 (or) 910-738-7224
 SDS FILE ID:
 2425.03

 EMERGENCY PHONE:
 CHEMTREC 1-800-424-9300
 SDS DATE:
 2018-10-02

REPLACES VERSION DATED: 2015-05-06 and all prior versions

SECTION 2: HAZARDS IDENTIFICATION

Classification: Flammable Aerosol: Category 2 Liquefied Gas

Label elements



Signal word Warning

Hazard statement: Flammable Aerosol. Contains gas under pressure; May explode if heated.

This product contains the following percentage of chemicals of unknown toxicity: 0%

Precautionary statement Keep away from heat, sparks, open flames, and hot surfaces. -No smoking. Do not spray on an open

flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 122°F (50°C). Store in a well-ventilated

place.

Hazard(s) not otherwise

classified (HNOC)

N/A

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nameCAS number%Propane/n-Butane68476-86-810-30

SECTION 4: FIRST AID MEASURES

Inhalation Move to fresh air. If breathing is difficult or unconscious administer oxygen. If not breathing

administer artificial respiration. Seek medical attention if irritation persists.

Skin contact Immediately wash with soap and water for 15 minutes. Seek medical attention if irritation develops.

Eye contact Immediately flush with water for 15 - 20 minutes while holding eyelids open. Seek medical attention if

irritation persists.

Ingestion Rinse mouth with water. Do not induce vomiting unless directed by medical authority. Seek medical

attention if irritation persists.

Acute health hazards Eyes: redness, tearing, blurred vision.

Chronic health hazards None known

Note to physician There is no specific treatment regimen. Treatment of overexposure should be directed at the control

of symptoms and the clinical condition of the patient.

SECTION 5: FIRE-FIGHTING MEASURES

Suitable extinguishing

media

Dry chemical, carbon dioxide, foam, and water spray or fog.

SDS File ID: 2425.03 Product Name: BY THE SEA SDS Issue/Revision Date: 10-02-18 AMERICAN INDUSTRIES, INC. Page 1 of 4

Unsuitable extinguishing

media

N/A

Special firefighting procedures

Wear NIOSH approved Self Contained Breathing Apparatus with a full face piece operated in a positive pressure demand mode with full body protective clothing when fighting fires. Avoid breathing smoke,

fumes, and decomposition products. Cool fire exposed containers with water fog to prevent bursting.

Unusual fire and explosion

hazards

Contents under pressure. Exposure to temperatures above 120°F may cause bursting. Flammable.

Hazardous combustion

Oxides of carbon.

products

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal protective

equipment

Refer to section VIII for proper Personal Protective Equipment.

Stop all leaks, isolate hazard area, absorb spill with inert material (dry sand, dirt, etc) eliminate all Spill

ignition sources. Prevent runoff from entering drain, sewers, streams, and other bodies of water.

Dispose of in accordance with federal, state, and local regulations. Do not dump in sewers. Wrap Waste disposal

container and place in trash collection, do not puncture, incinerate, or reuse container.

Waste likely considered non-hazardous waste under RCRA, however product should be fully **RCRA Status**

characterized prior to disposal (40 CFR 261).

SECTION 7: HANDLING AND STORAGE

Precautions for safe

handling

Protect from sunlight. Store in a well ventilated place. Do not expose to temperatures exceeding

50°C/122°F. Pressurized container: Do not pierce or burn, even after use.

Keep out of reach of children. Other precautions

Strong oxidizers, Alkalies, Acids. Incompatibility

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

OSHA PEL ACGIH TLV Hazardous Component 1000 ppm Propane/n-Butane 1000 ppm

Appropriate engineering

controls

Ambient ventilation adequate.

Respiratory protection

Personal protective

Not required with normal use.

equipment

Safety glasses and chemical resistant gloves.

Additional Measures Wash hands thoroughly after use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance White mist spray Odor Fresh Scent

Odor threshold N/D Boiling point N/D **Freezing Point** N/D

Flammability Flammable Aerosol >200°F (93°C) Flash point

Auto-ignition temperature N/D

Upper/lower flammability

limits

Lower: N/D

Upper: N/D

17.5 @ 77°F (25°C) Vapor Pressure (mmHg)

Vapor density (Air = 1) >2 **Evaporation Rate** Slow

0.97 @77°F (25°C) Specific Gravity (H20=1)

Page 2 of 4 SDS File ID: 2425.03 Product Name: BY THE SEA SDS Issue/Revision Date: 10-02-18 AMERICAN INDUSTRIES, INC.

pH 7.0 Solubility in Water 63% Partition Coefficient:n- N/D

Octanol/water (K_{ow})

VOC 25% Decomposition N/D

Decomposition Temperature

Viscosity N/D

SECTION 10: STABILITY AND REACTIVITY

Reactivity None known.

Chemical stability Stable.

Conditions to avoid Temperatures greater than 122°F (50°C) and sources of ignition.

Incompatibility Strong oxidizers, alkalies, acids.

Hazardous decomposition

products

Oxides of carbon.

Possible hazardous

reactions

None known.

SECTION 11: TOXICOLOGICAL INFORMATION

Toxicological information

Not established.

Routes of Entry Eyes, Ingestion, Inhalation, Skin.

Ingestion May cause gastric discomfort and nausea. No hazard by this route in normal use.

Inhalation No hazards under normal use due to its low volatility. If vapor is present in high concentrations,

irritation to upper respiratory tract may occur.

Skin contact May cause mild irritation, localized defatting, prolonged contact may cause allergi8c reaction in some

individuals.

Eye contact May cause irritation.

Medical condition

aggravated

None known.

Acute health hazards Eyes: redness, tearing, blurred vision.

Chronic health hazards None known.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

SECTION 12: ECOLOGICAL INFORMATION

Ecological information Not established.

Biodegradability Component or components of this product are not biodegradable.

Bioaccumulation This product is not expected to bioaccumulate.

Mobility in soil This product is mobile in soil.

Other ecological hazards None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste disposal Dispose of in accordance with federal, state, and local regulations. Do not dump in sewers. Wrap container

and place in trash collection, do not puncture, incinerate, or reuse container.

RCRA Status Waste likely considered non-hazardous under RCRA, however product should be fully characterized

prior to disposal (40 CFR 261).

SDS File ID: 2425.03 Product Name: BY THE SEA SDS Issue/Revision Date: 10-02-18 AMERICAN INDUSTRIES, INC. Page 3 of 4

SECTION 14: TRANSPORT INFORMATION

DOT

UN number Aerosols, Ltd. Qty

UN proper 1950 shipping name 2.1 Transport hazard N/A

class(es)
Packing group

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.

SECTION 15: REGULATORY INFORMATION

TSCA Status: All chemicals are listed or exempt.

CERCLA (Comprehensive response compensation, and liability act): None.

SARA 311/312 Hazardous categories: None. SARA 313 reportable ingredients: None

US state regulations: California Proposition 65: None.

SECTION 16: OTHER INFORMATION

Important Note: To be the best of our knowledge, the information contained herein is accurate. However there is no assumption of liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Since the conditions of handling, storage and disposal of this product are beyond the control of the manufacturer/supplier, the manufacturer/supplier will not be responsible for loss, injury, or expense arising out of the products improper use. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.

End of SDS

SDS File ID: 2425.03 Product Name: BY THE SEA SDS Issue/Revision Date: 10-02-18 AMERICAN INDUSTRIES, INC. Page 4 of 4