SAFETY DATA SHEET



SECTION 1: IDENTIFICATION

COMPANY NAME:AMERICAN INDUSTRIES, INC.PRODUCT NAME:FLEETADDRESS LINE 1:4300 Kahn Drive, Box 1405PRODUCT CODE:2508

ADDRESS LINE 2: Lumberton, NC 28359-1405 USA PRODUCT USE: Aluminum Cleaner/Brightener

 TELEPHONE NUMBERS:
 800-753-5153 (or) 910-738-7224
 SDS FILE ID:
 2508.02

 EMERGENCY PHONE:
 CHEMTREC 1-800-424-9300
 SDS DATE:
 2022-02-15

REPLACES VERSION DATED: 2017-10-02 and all prior versions

SECTION 2: HAZARDS IDENTIFICATION

Classification Metal Corrosive Category 1 H290

Eye Irritant Category 2A H319
Reproduction Category 1B H360

Full text of H statements-see section 16

Label elements

Signal word Danger

Hazard statements: May be corrosive to metals

Causes serious eye irritation

May damage fertility or the unborn child

Precautionary statements Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Keep only in original container Wash thoroughly after handling.

Wear eye protection, protective clothing, protective gloves

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

If exposed or concerned: Get medical advice/attention If eye irritation persists: Get medical advice/attention

Absorb spillage to prevent material damage

Store locked up

Store in corrosive resistant container with a resistant inner liner

Dispose of contents/container to comply with local/regional/national/international

regulations.

Other hazards No additional information available.

Unknown acute toxicity Not applicable

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture-See below:

Chemical nameCAS number%ClassificationOrganic acid salt mixtureHMIRA REG Number 920710-20Met. Corr. 1, H290Granted Date: 2014-08-20Acute Tox. 4(oral), H302

Eye Irrit. 2A, H319 Repr. 1B, H360

Monocarbamide dihydrogen sulfate (cleansing 21351-39-3 5-10 Eye Irrit. 2A, H319

agent)

Linear Alcohol Ethoxylate 34398-01-1 1-5 Acute Tox. 4 (Oral), H302

Eye Dam. 1, H318

All hazardous chemicals, as determined by 29 CFR 1910.1200 have been listed. A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: FIRST AID MEASURES

General first aid If you feel unwell, seek medical advice (show the label where possible). If exposed or

concerned: Get medical advice/attention.

Inhalation Remove the victim into fresh air. If you feel unwell, seek medical advice.

Skin contact Rinse skin with water/shower.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Ingestion Rinse mouth with water. Do NOT induce vomiting. Get medical advice/attention if

you feel unwell.

Most important symptoms and effects, acute

and delayed

May damage fertility. May damage the unborn child.

Inhalation: None under normal use.

Skin Contact: Contact during a long period may cause light irritation.

Eye Contact: Causes serious eye irritation. Ingestion: Gastrointestinal complaints.

Note to physician Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

Suitable extinguishing media All extinguishing media allowed.

Reactivity Hydrogen gas may be released upon contact with certain metals at sustained

temperatures about 140°F (60°C).

Special firefighting procedures Exercise caution when fighting any chemical fire. Use water spray or fog for cooling

exposed containers. Take account of environmentally hazardous firefighting water.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory

protection.

SECTION 6: ACCIDENTAL RELEASE MEASURES

General measures Isolate from fire, if possible, without unnecessary risk.

Personal protective equipment Gloves. Protective goggles. Protective clothing. Equip cleanup crew with proper

protection.

Spill Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing.

Ventilate spillage area. Stop leak if safe to do so. Stop release. Ventilate area.

Environmental precautions Avoid release to the environment. Prevent entry to sewers and public waters.

Methods for containment and clean up

Contain released substance, pump into suitable containers. Absorb spillage to

prevent material damage. This material and its container must be disposed of in a safe way and as per local legislation. No additional information available.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling Comply with the legal requirements. Do not handle until all safety precautions have

been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing. Handle and open the container with care. Wash thoroughly after handling.

Wash contaminated clothing before reuse.

Technical Measures Comply with applicable regulations.

Storage conditions Store in corrosive resistant container with a resistant inner liner. Keep container

closed when not in use.

Incompatible Products Strong bases. Oxidizing agent. Reducing agents. .

Incompatible Materials Metals

SDS File ID: 2508.02 Product Name: FLEET SDS Issue/Revision Date: 02/15/2022 AMERICAN INDUSTRIES, INC. Page 2 of 5

Heat-ignition Heat sources

Storage area Meet the legal requirements. Store in a cool area. Store in a well-ventilated place.

Meet the legal requirements. Keep only in the original container. Special rules on packaging

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters No additional information available

Use appropriate personal protective equipment when risk assessment indicates this Personal protective equipment

is necessary. Gloves. Safety glasses. Protective clothing.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance Clear, colorless liquid

Odor Mild odor

Odor threshold No data available

рΗ <1

No data available Melting point **Boiling point** No data available **Freezing Point** No data available Flammability (solid, gas) No data available No data available **Explosion limits Explosive properties** No data available No data available Oxidizing properties

>200°F (93°C) Estimated Flash point

No data available Relative evaporation rate (butyl acetate=1) Auto-ignition temperature No data available Vapor Pressure No data available Relative density No data available Relative vapor density at 20°C No data available

Specific Gravity/Density 1.08 g/ml

Solubility in Water Soluble in water. Log Pow No data available Log Kow No data available No data available Decomposition temperature

VOC content < 3%.

No data available Viscosity Viscosity kinematic/dynamic No data available

SECTION 10: STABILITY AND REACTIVITY

Reactivity Hydrogen gas may be released upon contact with certain metals at sustained

temperatures about 140°F (60°C).

Chemical stability Metal contact may cause Hydrogen release.

Conditions to avoid Open flame. Overheating.

Incompatibility May be corrosive to metals. Do not mix with metal powders. Avoid contact with

oxidizers or reducing agents, alkalis, chlorates, nitrates. Contact with hypochlorites

will liberate toxic gases.

Hazardous decomposition products Thermal decomposition may yield hydrofluoric acid and oxides of carbon, nitrogen,

chlorine and sulfur. Hydrogen gas may be released upon contact with certain metals.

Possible hazardous reactions Hydrogen gas may be released upon contact with certain metals at sustained

temperatures about 140°F (60°C).

SECTION 11: TOXICOLOGICAL INFORMATION

Not classified Acute toxicity

LD50 oral rat Linear Alcohol Ethoxylate (3498-01-1) >1400 mg/kg

SDS Issue/Revision Date: 02/15/2022

Organic acid salt mixture (HMIRA Reg Number LD50 oral rate

9207 Granted Date: 2014-08-20) 2109.4 mg/kg LD50 dermal rat

678.3 mg/kg

Skin corrosion/irritation Not classified pH <1

Serious eye damage/irritation Causes serious eye irritation pH <1

Respiratory or skin sensitization Not classified Germ cell mutagenicity Not classified Carcinogenicity Not classified

Reproductive toxicity May damage fertility or the unborn child.

Specific target organ toxicity (single exposure)

Specific target organ toxicity (repeated

Not classified exposure) Aspiration hazard Not classified

Symptoms/injuries after inhalation None under normal use.

Symptoms/injuries after skin contact Contact during a long period may cause light irritation.

Not classified

Symptoms/injuries after eye contact Causes serious eye irritation.

Symptoms/injuries after ingestion Gastrointestinal complaints.

Likely routes of exposure Skin and eyes contact.

SECTION 12: ECOLOGICAL INFORMATION

Toxicity Linear Alcohol Ethoxylate LC50 fish 1 <10 mg/l

(34398-01-1)

Toxicity Linear Alcohol Ethoxylate EC50 Daphnia 1 <10 mg/l

(34398-01-1)

Linear Alcohol Ethoxylate ErC50 (algae) <10 mg/l **Toxicity**

(34398-01-1)

Persistence and degradability No additional information available. No additional information available. Bioaccumulation

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose in a safe manner in accordance with local/national regulations. Waste disposal recommendations

SECTION 14: TRANSPORT INFORMATION

DOT:

UN number Cleaning Compound, N. O. S.

UN proper shipping name None Transport hazard class(es) N/A None Packing group

When transported by ground, this product may be eligible to be shipped as a Limited Quantity or Consumer Commodity ORM-D utilizing the exception found at 49 CFR 173.154. If any alteration of packaging, product, or mode of transportation is further intended, different shipping names and labeling may be required.

ADR No additional information available.

Prohibited Transport by sea Air transport Prohibited

SECTION 15: REGULATORY INFORMATION

TSCA Status All chemicals are listed as Active or excluded from listing

SDS File ID: 2508.02 Product Name: FLEET SDS Issue/Revision Date: 02/15/2022 AMERICAN INDUSTRIES, INC. Page 4 of 5 California P65

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372:

This product can expose you to Ethylene Oxide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Ethylene Oxide (75-21-8)

< 0.001%

Ethylene Oxide (75-21-8)

CERCLA RQ 10lb

Ethylene Oxide (75-21-8)

SARA Section 302 Threshold Planning

Quantity (TPQ) 1000lb

Ethylene Oxide (75-21-8)

SARA Section 311/312 Hazard Classes: Immediate (acute) health hazard

SECTION 16: OTHER INFORMATION

Training advice

Normal use of this product shall imply use in accordance with the instructions on the

packaging.

Full text of H-phrases

H290 May be corrosive to metals
 H302 Harmful if swallowed
 H318 Causes serious eye damage
 H319 Causes serious eye irritation

H360 May damage fertility or the unborn child

Important Note: To be the best of our knowledge, the information contained herein is accurate. However there is no assumption of liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Since the conditions of handling, storage and disposal of this product are beyond the control of the manufacturer/supplier, the manufacturer/supplier will not be responsible for loss, injury, or expense arising out of the products improper use. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.

End of SDS

SDS File ID: 2508.02 Product Name: FLEET SDS Issue/Revision Date: 02/15/2022 AMERICAN INDUSTRIES, INC.