# SAFETY DATA SHEET



## **SECTION 1: IDENTIFICATION**

COMPANY NAME:	AMERICAN INDUSTRIES, INC.	PRODUCT NAME:	
ADDRESS LINE 1:	4300 Kahn Drive, Box 1405	PRODUCT CODE:	1645
ADDRESS LINE 2:	Lumberton, NC 28359-1405 USA	PRODUCT USE:	Gear Lubricant
<b>TELEPHONE NUMBERS:</b>	800-753-5153 (or) 910-738-7224	SDS FILE ID:	1645.09
EMERGENCY PHONE:	CHEMTREC 1-800-424-9300	SDS DATE:	2015-09-03
		REPLACES VERSION	<b>NDATED:</b> 2015-06-01 and all prior versions

#### **SECTION 2: HAZARDS IDENTIFICATION**

Classifications Label elements	Aquatic Hazard – Acute: Aquatic Hazard – Long-term: None	Category 3 Category 4
Signal word	None	
Hazard statements	Harmful to aquatic life May cause long-lasting harmful effects	to aquatic life
Precautionary statements	<ul><li>P211: Do not spray on an open flame of P232: Protect from moisture.</li><li>P233: Keep container tightly closed.</li><li>P273: Avoid release to the environment</li></ul>	es, sparks, open flames and other ignition sources. No smoking. or other ignition source.
Percent of the mixture consisting of ingredient(s)	Not known	

of unknown toxicity

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical Name</u>	CAS No	Percent	
Olefin Sulfide	68511-50-2	1-5	
Phosphoric Acid Esters, Amine S	alt 67763-14-8	1-5	
Toulene	108-88-3	<0.1	
Petroleum Naphtha	64742-94-5	<0.1	
1,2,4-Trimethylbenzene	95-63-6	<0.1	
Xylene	1330-20-7	<0.1	
1,3,5-Trimethylbenzene	108-67-8	<0.1	
1,2,3-Trimethylbenzene	526-73-8	<0.1	
SECTION 4: FIRST AID MEASURES			
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration using a pocket mask type resuscitator. Call a physician immediately		
Skin contact	Immediately remove contaminated clothing and shoes. Wash off immediately with plenty of water for at least 15 minutes. Call a physician immediately.		
Eye contact	Flush eyes with water for at least 15 r	ninutes. If irritation persists seek medical attention.	
Ingestion	Do not induce vomiting. Get immedia unconscious person.	te medical attention. Do not give anything by mouth to an	

SECTION 5: FIRE-FIGHTING ME	ASURES	
ire hazard No		
Flash point	>199.4°F (93°C)	
Flammable limits	Lower: Not determined Upper: Not determined	
Suitable extinguishing media	Water mist, foam, dry powder, CO2.	
Special protective equipment	Not determined.	
Unusual Fire & Explosion	Not determined.	
SECTION 6: ACCIDENTAL RELEA	SE MEASURES	
Personal precautions	Vapor protective clothing should be worn for spills and leaks with no fire. Do not touch damaged container or spilled material unless wearing appropriate protective clothing/equipment. Ventilate the closed area.	
Spills/Leaks	Isolate the spill / leak area in all directions for about 50 meters (150 ft.) for liquids and about 25 meters (75 ft.) for solids and semi-solids. Eliminate all ignition sources (no smoking, flares, sparks / flames in close vicinity). Keep unauthorized persons away and ventilate closed space before entering.	
SECTION 7: HANDLING AND ST	ORAGE	
Handling	Handle in accordance with good industrial hygiene and safety practices. These practices include avoiding unnecessary exposure and prompt removal of material from eyes skin and clothing.	
Storage	Storage Store in a sealed container in a cool, dry environment.	
SECTION 8: EXPOSURE CONTRO	DLS/PERSONAL PROTECTION	
Exposure limits	OSHA Permissible (PELs)	5mg/m <sup>3</sup>
Exposure limits	Threshold Limit Values (TLVs)	10mg/m <sup>3</sup>
Engineering controls	N/A	
Personal protective equipment		
Eye/Face protection	Wear safety glasses.	
Skin/Body	Wear gloves.	
SECTION 9: PHYSICAL AND CHE		
Appearance	Liquid	
Color	Green	
Odor Odor threshold	Petroleum Not determined	
pH	Not determined	
Melting Point/Freezing Point	Not determined	
Pour Point	-40°F (-40°C)	
Boiling Range	N/A	
Flash point	>199.4°F (93°C)	
Flash point method used	ASTM D92	
Evaporation Rate	Not determined	
Flammability	None	
Upper/lower flammability limits	Not determined	
Vapor pressure	Not determined	
Vapor density	Not determined	
Vapor temperature	Not determined	
Relative Density/Specific Density	0.9112	

Solubility	Not water soluble
Partition Coefficient	Not determined
Auto ignition temperature	Not determined
Decomposition temperature	Not determined
Viscosity cSt	26 @ 212°F (100°C)
VOC content	N/A
Voc Less water & exempts	N/A
SECTION 10: STABILITY AND REA	ACTIVITY
Reactivity	Not determined

Reactivity	Not determined
Chemical stability	Stable under normal ambient temperature and conditions.
Conditions to avoid	Extreme temperature and direct sunlight / heat /flame.
Materials to avoid	Strong oxidizing agents
Hazardous composition Not expected SECTION 11: TOXICOLOGICAL INFORMATION	
Description of effects short and long term exposure	Not known
Measure of toxicity	Not known
Skin	May cause irritation
Eyes	Contact may cause eye irritation
Inhalation	Not known
Ingestion	May cause nausea and vomiting
Carcinogens Listing	None
Chronic toxicity	No
SECTION 12: ECOLOGICAL INFO	RMATION
Aquatic toxicity	No data available.
Biodegradability	No data available.

Bioaccumulation

No data available.

## SECTION 13: DISPOSAL CONSIDERATIONS

Treatment, storage transportation, and disposal must be in accordance with applicable federal, state/provincial, and local regulations. Regulations may vary by location.

## SECTION 14: TRANSPORT INFORMATION

DOT, IMO, IATA

Not regulated in transportation. Not classified as dangerous in the meaning of transport regulation.

SECTION 15: REGULATORY INFO	DRMATION	
OSHA regulated hazard	No	
DOT regulated	No	
E C Classification	Non-applicable	
TSCA Status	In compliance with TSCA inventory requirements for o	commercial purposes
SARA 312	No	
SARA 313	No	
EAP Registration	Non-applicable	
California Prop 65	Toulene	0.008186%
	Ethyl benzene	0.000059%
	Potassium hydroxide	0.000059%
	Cumene	0.000059%
	Benzene	0.000005%

None known
None known
None known
Non-applicable

## SECTION 16: OTHER INFORMATION

HMIS® RATING:	
HEALTH	1
FLAMMABILITY	1
PHYSICAL HAZARD	0

**Important Note:** To be the best of our knowledge, the information contained herein is accurate. However there is no assumption of liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Since the conditions of handling, storage and disposal of this product are beyond the control of the manufacturer/supplier, the manufacturer/supplier will not be responsible for loss, injury, or expense arising out of the products improper use. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.

\*\*\*End of SDS\*\*\*