SAFETY DATA SHEET



SECTION 1: IDENTIFICATION

COMPANY NAME:AMERICAN INDUSTRIES, INC.PRODUCT NAME:XTERMADDRESS LINE 1:4300 Kahn Drive, Box 1405PRODUCT CODE:1421

ADDRESS LINE 2: Lumberton, NC 28359-1405 USA PRODUCT USE: Multi Purpose Insect Spray

 TELEPHONE NUMBERS:
 800-753-5153 (or) 910-738-7224
 SDS FILE ID:
 1421.04

 EMERGENCY PHONE:
 CHEMTREC 1-800-424-9300
 SDS DATE:
 2015-04-15

REPLACES VERSION DATED: 2014-10-08 and all prior versions

SECTION 2: HAZARDS IDENTIFICATION

Classification Flammable Aerosol: Category 2 Liquefied Gas

Eye Irritant: Category 2b
Aspiration Hazard: Category 1

Label elements



Signal word Danger

Hazard statement: Flammable Aerosol. Contains gas under pressure; May explode if heated. Causes eye irritation. May be

fatal if swallowed and enters airways.

This product contains the following percentage of chemicals of unknown toxicity: 0%

Precautionary statement Keep away from heat, sparks, open flames, and hot surfaces. No smoking. Do not spray on an open

flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 122°F (50°C). Store in a well-ventilated place. Wash hands thoroughly after handling. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. If swallowed: Immediately call a poison center or doctor. Do NOT induce vomiting. Store locked up. Dispose of contents and container in accordance with local, state, and national

regulations.

Hazard(s) not otherwise classified (HNOC)

N/A

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical name</u>	<u>CAS number</u>	<u>%</u>
Isoparaffinic Hydrocarbon	64742-47-8	10-15
Propane/n-Butane	68476-86-8	7-13
Propane	74-98-6	3-7

SECTION 4: FIRST AID MEASURES

Inhalation Move to fresh air. If breathing is difficult or unconscious administer oxygen. If not breathing

administer artificial respiration or at any sign of loss of consciousness seek immediate medical

attention.

Skin contact Immediately wash with soap and water for 15 minutes. Remove contaminated clothing and shoes

immediately. Seek medical attention if irritation develops.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If eye irritation persists: Get medical advice or attention.

Ingestion Immediately call a poison center or doctor. Do NOT induce vomiting.

Acute health hazards Eyes: redness, tearing, blurred vision. Ingestion: Aspiration risk.

SDS File ID: 1421.04 Product Name: XTERM

Chronic health hazards Concentrating vapors and inhaling material can lead to oxygen deprivation, loss of brain function

and potential loss of life.

Note to physician There is no specific treatment regimen. Treatment of overexposure should be directed at the

control of symptoms and the clinical condition of the patient.

SECTION 5: FIRE-FIGHTING MEASURES

Suitable extinguishing media Dry chemical, carbon dioxide, alcohol foam, and fog.

Unsuitable extinguishing media Water spray/stream

Special firefighting procedures Wear NIOSH approved Self Contained Breathing Apparatus with a full face piece operated in a

positive pressure demand mode with full body protective clothing when fighting fires. Use water

spray only to cool exposed containers.

Unusual fire and explosion

hazards

Keep away from sparks, open flames, and hot surfaces. No smoking. Do not spray on an open

flame or other ignition source.

Hazardous combustion products Oxides of carbon.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal protective equipment Refer to section VIII for proper Personal Protective Equipment.

Spill Clean up with non-combustible material like vermiculite, sand or earth. If many cans are opened

remove ignition sources. Prevent spill from entering sewers, storm drains, and natural waterways.

Waste disposal Dispose of in accordance with federal, state, and local regulations.

RCRA Status Product should be fully characterized prior to disposal (40 CFR 261).

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling Protect from sunlight. Store in a well ventilated place. Do not expose to temperatures exceeding

50°C/122°F. Pressurized container: Do not pierce or burn, even after use. Store locked up.

Other precautions Keep out of reach of children.

Incompatibility Some plastics and strong oxidizers.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Hazardous ComponentOSHA PELACGIH TLVIsoparaffinic Hydrocarbon400 ppm400 ppmPropane/n-Butane1000 ppm1000 ppmPropane1000 ppm1000 ppm

Appropriate engineering controls General ventilation adequate.

Respiratory protection Not required with normal use.

Personal protective equipment Safety glasses.

Additional Measures Wash hands thoroughly after use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance White spray mist.
Odor Insecticidal odor.

Odor threshold N/D

Boiling point 450°F (232°C)

Freezing Point N/D

Flammability Flammable Aerosol

Flash point N/D Auto-ignition temperature N/D

Upper/lower flammability limits Lower: N/D Upper: N/D Upper: N/D

SDS File ID: 1421.04 Product Name: XTERM SDS Issue/Revision Date: April 15, 2015 AMERICAN INDUSTRIES, INC. Page 2 of 5

Vapor Pressure (mmHg) 0.4 Vapor density (Air = 1) >6 **Evaporation Rate** <1 Specific Gravity (H20=1) 0.97 6.5 рΗ Solids (%) N/D Solubility in Water 100% Partition Coefficient:n-Octanol/water (Kow) N/D Volatility including water (%) 85.1% VOC 15% Dielectric Strength (Volts) N/A **Decomposition Temperature** N/D N/D Viscosity

SECTION 10: STABILITY AND REACTIVITY

Reactivity None known.

Chemical stability Stable.

Conditions to avoid Temperatures greater than 122°F (50°C) and sources of ignition.

Incompatibility Some plastics and strong oxidizers.

Hazardous decomposition products

Oxides of carbon.

Possible hazardous reactions

None known.

SECTION 11: TOXICOLOGICAL INFORMATION

Toxicological information Isoparaffinic Hydrocarbon (64742-47-8) LD₅₀ (Oral, Rat) 5 g/kg LD₅₀ (Dermal, Rabbit) 2

g/kg; LC₅₀ (Rat, 4hr) 5mg/L..

Routes of Entry Eyes, Ingestion, Inhalation, Skin.

Ingestion Causes gastrointestinal irritation, headaches, nausea, diarrhea, vomiting, abdominal

cramps.

Inhalation Causes dizziness, excessive or prolonged exposure may cause unconsciousness.

Skin contact May cause mild irritation, localized defatting.

Eye contact Causes irritation, burning, redness, tearing.

Medical condition aggravated Excessive exposure will aggravate respiratroy cardiovascular or pulmonary illnesses.

Acute health hazards Eyes: redness, tearing, blurred vision.

Chronic health hazards

Concentrating vapors and inhaling material can lead to oxygen deprivation, loss of brain

function and potential loss of life.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

SECTION 12: ECOLOGICAL INFORMATION

Ecological information

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. To

protect the environment, do not allow pesticide to enter or run off into storm drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment

areas.

SDS File ID: 1421.04 Product Name: XTERM SDS Issue/Revision Date: April 15, 2015 AMERICAN INDUSTRIES, INC. Page 3 of 5

Biodegradability Component or components of this product are not biodegradable.

Bioaccumulation Components in this mixture can bioaccumulate in aquatic organisms.

Mobility in soil This product is mobile in soil.

Other ecological hazards This material is toxic to aquatic life.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste disposal Dispose of in accordance with federal, state, and local regulations. Containers may be hazardous

when empty.

RCRA Status Waste likely considered non-hazardous under RCRA, however product should be fully

characterized prior to disposal (40 CFR 261).

SECTION 14: TRANSPORT INFORMATION

DOT

UN number Aerosols, Ltd. Qty

UN proper shipping name 1950
Transport hazard class(es) 2.1
Packing group N/A

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.

SECTION 15: REGULATORY INFORMATION

TSCA Status: All chemicals are listed or exempt.

CERCLA (Comprehensive response compensation, and liability act): None.

SARA 311/312 Hazardous categories: None. SARA 313 reportable ingredients: None

US state regulations: California Proposition 65: None.

International regulations: All components are listed or exempted.

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION: Hazards to Humans: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Hazards to Domestic Animals: Do not spray directly in/on eyes, mouth or genitalia of pets. Use only on dogs. Do not use on cats or kittens. Do not use on puppies less than twelve (12) weeks old. Consult a veterinarian before using this product on debilitated, aged, pregnant, medicated, or nursing animals. Sensitivities may occur after using any pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

EPA Reg. No. 44446-62-38090

SDS File ID: 1421.04 Product Name: XTERM SDS Issue/Revision Date: April 15, 2015 AMERICAN INDUSTRIES, INC. Page 4 of 5

SECTION 16: OTHER INFORMATION

Hazardous Materials Identification System (HMIS)



Important Note: To be the best of our knowledge, the information contained herein is accurate. However there is no assumption of liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Since the conditions of handling, storage and disposal of this product are beyond the control of the manufacturer/supplier, the manufacturer/supplier will not be responsible for loss, injury, or expense arising out of the products improper use. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.

End of SDS